



Serve-over VELVET SV



Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC). Check ongoing validity
of certificate online: www.eurovent-certification.com
or using: www.certiflash.com



Product categories



Technical features







VELVET SV		
Length mm	1300	1500
VELVET SV	•	•
1250	•	•
1875	•	•
2500	•	•
3750	•	•
Display area m2	1.26	1.57
Loading area m2	1.08	
End thickness mm	55 Style/Studio - 35 Design	




SV 1300 LS-U DESIGN




SV 1300 LS-D DESIGN



SV 1500 NARROW LS-U DESIGN




SV 1500 NARROW LS-D DESIGN







SV 1500 LARGE LS-U DESIGN




SV 1500 LARGE LS-D DESIGN



SV 1300 LS-U STYLE




SV 1300 LS-D STYLE







SV 1500 NARROW LS-P STYLE




SV 1500 NARROW LS-D STYLE



SV 1500 LARGE LS-U STYLE




SV 1500 LARGE LS-D STYLE







SV 1300 LS-U STYLE FEET




SV 1300 LS-D STYLE FEET



SV 1500 NARROW LS-U STYLE FEET




SV 1500 NARROW LS-D STYLE FEET







SV 1500 LARGE LS-U STYLE FEET




SV 1500 LARGE LS-D STYLE FEET



SV 1300 LS-U STUDIO



SV 1300 LS-D STUDIO





Legend

 Meat	 Chicken	 Fish	 Pre-packed fish
 Delicatessen	 Cheese	 Dairy products	 Gastronomy
 Pastries	 Pre-packed fruit and vegetables	 Fruits and Vegetables	 Sandwiches
 Drinks	 Pizza	 Bread	 Frozen food and ice cream
 Off-cycle defrost	 Electric defrost	 Hot-gas defrosting system	 Manual defrost
 Ventilated	 Static	 Incorporated condensing unit	 Remote condensing unit
 Bagnomaria	 Ceramic glass	 Ice	 VSD Inverter technology
 LED lighting	 Zero C doors	 High efficiency fans	 R290 Propane refrigerant gas (R290)
 R134a R-134a - 400V/3PH/50Hz	 R404A R404A - 400V/3PH/50Hz	 R744 R744 - 400V/PH/50Hz	 Compressor hermetic reciprocating
 Hermetic scroll compressor	 Semi-hermetic reciprocating compressor	 VSD Inverter technology	 External installation
 Machinery room	 Soundproof housing	 On board condenser	 Remote condenser
 DUAL Medium & Low temperature	 Technokleen	 Thin Tech	 EB